

मिरर इमेज तैयार कराने का पंचनामा

थाना : ई.ओ.डब्ल्यू/ए.सी.बी.,
अप. क्र. 09/2015,

पंचनामा किस बावत लिया गया
नाम गवाहान, जिनके समक्ष वाईस
सैम्पल लिया गया

- जिला रायपुर
- धारा 13(2), सहपठित धारा 13(1)(डी), भ्र.नि.अधि., 109, 120 बी, 420 भा0द0वि0
- मिरर इमेजिंग के संबंध में।
- 1. श्री एम.के.राजपूत पिता स्व. सियाराम सिंह, उम्र 52 वर्ष, ओम आटो कार्नर के पीछे, जी.ई.रोड, पदुम नगर भिलाई-3, जिला दुर्ग, हाल पद व्याख्याता शास. उ.मा.विद्यालय, जंजगीरी, जिला दुर्ग, मो0 न0 98271-18921
- 2. श्री रामनारायण राम पिता स्व. श्रीराम, उम्र 54 वर्ष, 10-बी, एच.एस. सी.एल. कॉलोनी, रूआबांधा, भिलाई, पिन.नं. 490006, हाल पद व्याख्याता शास. उ.मा.विद्यालय, कुन्हारी जिला दुर्ग, मो0 न0 94241-06385

नाम अधिकारी जिसके समक्ष पंचनामा
तैयार किया गया
पंचनामा प्रारंभ करने का दिनांक, समय
स्थान

- संजय देवस्थल, निरीक्षक, विवेचनाधिकारी ई0ओ0डब्ल्यू0 रायपुर।
- 04.04.2015 के 14:00 बजे से ई0ओ0डब्ल्यू0 कार्यालय रायपुर।

विवरण

आज दिनांक को उपर उल्लेखित गवाहान को निर्देशित स्थान पर तलब किया गया, जो उपस्थित आए। गवाहान को यह बताया गया कि उपरोक्त प्रकरण में इंटरसेप्टेड रिलेवेन्ट ट्रांसक्रिप्शन 08 जी0बी0 पेन ड्राईव एवं इंटरसेप्टेड रिलेवेन्ट ट्रांसक्रिप्ट की हार्डकॉपी की प्रति सी0एम0सी0 (सेन्ट्रल मॉनिटरिंग सेन्टर) पुलिस मुख्यालय रायपुर से लिफाफे में सीलबंद प्राप्त हुई है। पेन ड्राईव में वाईस कॉल इंटरसेप्शन है जिसकी विवेचना हेतु दिन प्रति दिन आवश्यकता होने से प्रति दिन गवाहों को तलब कर सील खोलना एवं बंद करना होगा। विवेचना के लिए उक्त पेन ड्राईव की मिरर इमेजिंग कराये जानें पर उक्त मिरर इमेज वाली पेनड्राईव से गवाहों के कथन एवं उनके वाईस सैम्पल लिये जा सकते हैं तथा जो पेन ड्राईव सी0एम0सी0 से प्राप्त हुई उसे मिरर इमेज कराने के पश्चात पुनः सील बंद कर दिया जायेगा तथा पृथक् से परीक्षण हेतु भेजा जायेगा। सील बंद लिफाफे को गवाहों के समक्ष खोला गया जिसके लिफाफे के उपर लिखा है कि इसमें 08 जी0बी0 की पेन ड्राईव तथा उक्त पेन ड्राईव में वाईस कॉल इंटरसेप्शन की ट्रांसक्रिप्ट की हार्ड कॉपी होना लिखा है। लिफाफा खोलने पर उक्त वर्णित सभी चीजें पाई गई। उक्त 08 जी0बी0 के पेन ड्राईव को गवाह रामनारायण राम के शर्ट के पॉकेट में रखवाकर यह बताया गया कि हमें साईबर सेल सिविल लाईन्स रायपुर चलकर इस पेन ड्राईव की मिरर इमेज तैयार करानी है, तो साईबर सेल ऑफिस पहुंचने तक उक्त पेन ड्राईव को सुरक्षित अपने पास रखियें तथा साईबर सेल में मांगने पर प्रस्तुत करें। इसके पश्चात शासकीय वाहन से साईबर सेल प्रभारी सिविल लाईन्स रायपुर के नाम पर पत्र तैयार कर साथ लेकर साईबर सेल कार्यालय सिविल लाईन्स रायपुर पहुंचे। साईबर सेल पहुंचकर साक्षी रामनारायण राम द्वारा साईबर सेल प्रभारी के मांगने पर अपने पॉकेट से पेन ड्राईव निकाल कर साईबर सेल प्रभारी को दिया। साईबर सेल प्रभारी द्वारा उक्त पेन ड्राईव का मिरर इमेज तैयार किया जाकर प्रदान किया गया। मूल पेन ड्राईव को साक्षी श्री रामनारायण राम को सुरक्षार्थ दिया गया तथा विवेचना के लिए मिरर इमेज को विवेचक के पास रखा गया। पेन ड्राईव को लेकर साक्षियों सहित ई.ओ.डब्ल्यू कार्यालय वापस आए। मूल पेन ड्राईव को ई.ओ.डब्ल्यू कार्यालय में साक्षियों के समक्ष सीलबंद किया गया। मूल पेन ड्राईव को पृथक् से परीक्षण हेतु भेजा जाता है। मिरर इमेज पेन ड्राईव को दिन प्रति दिन की विवेचना के उपयोग में लाने के लिए रखा गया। इस प्रकार मिरर इमेज तैयार करने की कार्यवाही का पंचनामा ई0ओ0डब्ल्यू0 कार्यालय रायपुर में दिनांक 04.04.2015 के 18.00 बजे समाप्त किया गया।

हस्ताक्षर गवाहान
01

02

हस्ताक्षर साईबर सेल प्रभारी
04/04/15

हस्ताक्षर पुलिस अधिकारी

The, Hltwada Bhawan Awanti Vihar, RAIPUR

ANALYSIS RESULT

Date of Analysis: 03.11.14

Name of District :- ...
Name of Centre :- ...

ANALYSIS
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 84

| Sl. No. | Name of Miller | Qty. | God No. | Stack No. | No. of Lots | Variety | Broken
Big Small | F.M.
Orig Inorg | Damaged | Discolour | Chalky | Red | Lower
Grade | Dejuk | Moisture | Remark |
|---------|----------------|------|---------|-----------|-------------|---------|---------------------|--------------------|---------|-----------|--------|-----|----------------|-------|----------|--------|
| 1. | नारंगी | 3240 | 02 | 06 | - | RRC | 24.5 0.4 | 0.1 0.1 | 1.5 | 2.0 | 1.4 | 0.7 | - | 11.4 | - | |
| 2. | मुंगली | 3240 | 12 | 05 | - | RRC | 24.0 0.5 | 0.1 0.1 | 1.3 | 1.8 | 1.7 | 0.4 | - | 11.7 | - | |
| 3. | बरेली | 2166 | 14 | 03 | - | PBA | 11.0 0.3 | 0.2 0.1 | 3.2 | 4.2 | - | 0.6 | 4.0 | 11.4 | - | |
| 4. | नटवण्डर | 1620 | 07 | 11 | - | RRC | 24.3 0.6 | 0.1 0.1 | 1.0 | 2.0 | 1.4 | 0.7 | - | 11.8 | - | |
| 5. | मुंगली | 1740 | 05 | 05 | - | RRC | 24.0 0.3 | 0.1 0.1 | 1.4 | 1.6 | 1.5 | 0.4 | - | 12.0 | - | |
| 6. | मुंगली | 3240 | 08 | 02 | - | RRC | 24.0 0.5 | 0.1 0.1 | 2.4 | 2.0 | 1.7 | 0.5 | - | 12.0 | - | |
| 7. | रामानुजराज | 1950 | 03 | 06 | - | RRA | 24.5 0.5 | 0.1 0.1 | 2.4 | 1.7 | 2.5 | 0.5 | 4.6 | 11.8 | - | |
| 8. | नारंगी | - | 02 | 12 | - | RRC | 24.0 0.4 | 0.1 0.1 | 2.0 | 1.8 | 1.5 | 0.7 | - | 11.7 | - | |
| 9. | नारंगी | 3240 | 01 | 09 | - | RRA | 24.0 0.5 | 0.1 0.1 | 1.4 | 1.3 | 1.8 | 0.4 | 6.0 | 11.8 | - | |
| 10. | नारंगी | 3240 | 04 | 05 | - | RRC | 24.0 0.8 | 0.2 0.1 | 1.8 | 1.7 | 1.6 | 0.5 | - | 11.8 | - | |
| 11. | नारंगी | 3240 | 04 | 01 | - | RRC | 24.0 0.5 | 0.2 0.1 | 1.6 | 2.5 | 1.8 | 0.4 | - | 11.3 | - | |
| 12. | नारंगी | 3240 | 11 | 19 | - | RRC | 24.0 0.3 | 0.1 0.1 | 1.5 | 3.0 | 2.0 | 0.7 | - | 11.8 | - | |
| 13. | नारंगी | 540 | 11 | 11 | 6144 | RRC | 24.4 0.3 | 0.1 0.1 | 2.0 | 2.2 | 1.8 | 0.3 | - | 11.4 | - | |

NOTE: Acquired at Chattanooga Area Civil Service Auction, 2011-11-04, 10:00am, online, as per provisions of Bureau of Indian Affairs, 25 CFR 162.103-103.27, and the 18 USC 3503 (part 1867) which is included by Code of Federal Regulation of the Bureau of Indian Affairs.

10. Refuse

2000

Handwritten signature

110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928.

सुरक्षा संयंत्र के लिए

(35) (135)

CHHATTISGARH STATE CIVIL SUPPLIES CORPORATION LIMITED

The, Hiltwada Bhawan Awanti Vihar, RAIPUR

ANALYSIS RESULT

Name of District : रायपुर
Name of Centre : रायपुर

Date of Analysis : 05-06-11/14

| Sl. No. | Name of Millar | Qty. | God No. | Stack No. | No. of Lots | Variety | Broken Big Small | Fil. Org Inorg | Damaged | Discolour | Chalky | Red | Lower Grade | Dehusk | Moisture | Remark |
|---------|----------------|------|---------|-----------|-------------|---------|------------------|----------------|---------|-----------|--------|-----|-------------|--------|----------|--------|
| 14 | पेपरमिल्ल | 3240 | 16 | 02 | 1 | RRC | 240 04 01 01 | 2.0 | 2.4 | 1.2 | 0.4 | 1 | 11.8 | 1 | | |
| 15 | उधर | 1080 | 06 | 03 | 1 | RRC | 240 05 01 01 | 1.7 | 3.0 | 1.5 | 0.7 | 1 | 11.2 | 1 | | |
| 16 | उधर | 2983 | 08 | 02 | 1 | RRC | 230 08 01 01 | 2.0 | 1.4 | 1.2 | 0.7 | 1 | 11.7 | 1 | | |
| 17 | गोवा | 3124 | 04 | 04 | 1 | RRC | 230 05 01 01 | 1.7 | 3.0 | 1.5 | 0.4 | 1 | 11.3 | 1 | | |
| 18 | अधर | 3240 | 11 | 09 | 1 | RRC | 240 02 02 01 | 1.5 | 2.8 | 1.7 | 0.4 | 1 | 11.6 | 1 | | |
| 19 | अधर | 3240 | 02 | 11 | 1 | RRC | 240 09 01 01 | 2.8 | 1.5 | 1.5 | 0.4 | 1 | 10.9 | 1 | | |
| 20 | SUC LHSIT | 2700 | 09 | 08 | 1 | RRC | 240 07 02 01 | 2.2 | 1.4 | 1.5 | 0.6 | 1 | 11.6 | 1 | | |
| 21 | LHSIT | 1080 | 02 | 02 | 1 | RRA | 240 05 02 01 | 2.0 | 1.4 | 1.3 | 0.4 | 1 | 11.8 | 1 | | |
| 22 | अधर | 3240 | 02 | 13 | 1 | RRA | 245 05 01 01 | 2.0 | 1.8 | 1.7 | 0.5 | 1 | 12.0 | 1 | | |

NOTE - Analysed at Chhattisgarh State Civil Supplies Corporation Ltd. H.O. Raipur. Analyser's Certificate of Analysis of Food Grain is valid for 12 months. For details of the analysis of food grain, refer to the following link: <http://www.cspcraipur.org>

H.O. Raipur

Signature

Signature

Manager O.C.
H.O. Raipur

2410 3445 (240510)

255
(19)

CHHATTISSGARH STATE CIVIL SUPPLIES CORPORATION LIMITED

The, Hitiwada Bhawan Awanti Vihar, RAIPUR

ANALYSIS RESULT

Name of District : Surghat / Surghat

Date of Analysis : 20.10.14

| Sl. No. | Name of Millar | Qty. | God No. | Stack No. | No. of Lots | Variety | Broken
Big Small | F.M.
Org Inorg | Damaged | Discolour | Chalky | Red | Lower
Grade | Dehusk | Moisture | Remark |
|---------|----------------|------|---------|-----------|-------------|---------|--------------------------------|-------------------|---------|-----------|--------|-----|----------------|--------|----------|--------|
| 1. | Amal | 540 | - | - | 1058 | RRA | 280 0.5 0.2 0.1 | 0.1 1.8 | 2.2 | 1.3 | 0.5 | 3.0 | 11.8 | - | - | |
| | | | | | | | Bag is bag. All the variation. | | | | | | | | | |
| 2. | Amal | 487 | 03 | 0.1 | 9023 | RRC | 210 0.6 0.1 0.1 | 0.1 3.0 | 4.2 | 2.0 | 0.5 | - | 11.8 | - | - | |
| | | | | | | | Bag is bag. All the variation. | | | | | | | | | |

NOTE- Analyzed in Chattisgarh State Civil Supplies Corporation Ltd. H.O. Raipur Laboratory as per procedure of Bureau of Indian Standard Method of analysis of food grains. Ho. 16-4333 (Part I) 1967 and Ho. 16-4333 (Part II) 1967 which is controlled by Govt. of India, Food Corporation of India and Govt. of Chattisgarh.

[Signature]
H.O. Raipur

[Signature]
JTA
H.O. Raipur

[Signature]
Asst. Manager
H.O. Raipur

Manager
H.O. Raipur

सहा ० प्रबंधक (अध्यापक)

H STATE CIVIL SUPPLIES CORPORATION LIMITED
The, Hitiwada Bhawan Awanti Vihar, RAIPUR
ANALYSIS RESULT

विनासपुर / सूरजगंगा / रायगढ़ / कंदहरा / सरस्वर / नरसपुर
Date of Analysis: ०८.०८.१५

| Sl. No. | Name of Miller | Qty. | God No. | Stack No. | No. of Lots | Variety | Broken | F.M. | Damaged | Discolorure | Chalky | Red | Lower Grade | Dehusk | Moisture | Remark |
|---------|----------------|------|---------|-----------|-------------|---------|----------|---------|---------|-------------|--------|-----|-------------|--------|----------|--------|
| 1. | पुष्पेश | 3404 | 12 | 04 | 1 | PR A | 24.0 0.7 | 0.1 0.1 | 2.0 | 2.5 | 1.4 | 0.5 | 3.8 | 12.0 | - | |
| 2. | मरवाही | 2815 | 01 | 16 | 1 | PR A | 24.0 0.5 | 0.1 0.1 | 1.9 | 1.2 | 1.0 | 0.4 | 3.7 | 11.7 | - | |
| 3. | कण्ठा | 3240 | 10 | 09 | 1 | PR C | 24.0 0.9 | 0.1 0.1 | 1.2 | 0.7 | 1.8 | 0.8 | - | 11.6 | - | |
| 4. | पुंडरिका | 3240 | 07 | 09 | 1 | PR C | 24.0 0.5 | 0.2 0.1 | 1.4 | 1.0 | 1.4 | 0.4 | - | 11.3 | - | |
| 5. | कुम्हरी | 3240 | 08 | 01 | 1 | PR C | 24.0 0.4 | 0.1 0.1 | 1.3 | 1.5 | 1.4 | 0.7 | - | 11.8 | - | |
| 6. | जगीचा | 3241 | 04 | 08 | 1 | PR C | 23.0 0.7 | 0.2 0.1 | 1.0 | 1.2 | 1.5 | 0.6 | - | 11.7 | - | |
| 7. | फरसाबाहार | 2130 | 01 | 08 | 1 | PR C | 24.4 0.4 | 0.2 0.1 | 2.8 | 1.5 | 1.6 | 0.4 | - | 11.3 | - | |
| 8. | मामापुर | 3240 | 04 | 03 | 1 | PR A | 23.8 0.7 | 0.1 0.1 | 1.2 | 2.0 | 1.4 | 0.7 | 4.0 | 11.6 | - | |
| 9. | सूरजपुर | 3242 | 02 | 12 | 1 | PR C | 24.0 0.3 | 0.1 0.1 | 1.7 | 1.0 | 1.3 | 0.5 | - | 11.5 | - | |
| 10. | आर्कडपुर | 3240 | 85 | 12 | 1 | PR A | 24.3 0.4 | 0.2 0.1 | 2.8 | 1.5 | 2.0 | 0.4 | 3.7 | 11.7 | - | |
| 11. | सूरजपुर | 3240 | 52 | 03 | 1 | PR A | 24.0 0.5 | 0.1 0.1 | 2.2 | 1.4 | 1.7 | 0.4 | 5.7 | 11.8 | - | |
| 12. | मामापुर | 3240 | 01 | 06 | 1 | PR A | 24.3 0.6 | 0.2 0.1 | 2.8 | 1.6 | 1.8 | 0.5 | 5.2 | 12.0 | - | |
| 13. | मोहरासिंग I | 3240 | 01 | 10 | 1 | PR C | 24.0 0.5 | 0.2 0.1 | 2.7 | 2.4 | 1.8 | 0.5 | - | 11.7 | - | |
| 14. | मोहरासिंग II | 3240 | 04 | 02 | 1 | PR C | 24.0 0.8 | 0.1 0.1 | 2.2 | 1.5 | 1.2 | 0.4 | - | 11.7 | - | |

NOTE: Analyzed at Chhatisgarh State Oil Sevens Corporation Ltd., H.O. Raipur laboratory as per procedure of Bureau of India Standard Method of analysis of foodstuffs.

1987 Method is circulated by Govt. of India, Dept. of Food, Govt. of Chhatisgarh.

10/08/2024

08.08.14

NOTE - Analyzed at Chhatisgarh State Civil Supplies Corporation Ltd., H.O. Raipur Laboratory as per procedure of Bureau of Indian Standards. Method of analysis of foodgrains No. 4433 (Part I), 1957, and No. 15-4533 (Part II), 1957 which is directed by Govt. of India, Food Corporation of India and Govt. of Chhatisgarh.

H.O. Raipur

Signature

Signature

Manager O.C.
H.O. Raipur

Asst. Manager

Signature

Manager O.C.
H.O. Raipur

२६१० प्रबंधन कार्योन्मी

CHHATTISSGARH STATE CIVIL SUPPLIES CORPORATION LIMITED

The, Hitwada Bhawan Awami Vihar, RAIPUR

ANALYSIS RESULT

Name of District: बिलासपुर / सुनार / अष्टपुर / रायगढ़

Date of Analysis: २६.०७.१४

| Sl. No. | Name of Filler | Cty. | God No. | Stack No. | No. of Lots | Variety | Broken Big | Small | F.M. Orig | Inog | Damaged | Discolour | Chafy | Red | Lower Grade | Detusk | Moisture | Remark |
|---------|----------------|------|---------|-----------|-------------|---------|------------|-------|-----------|------|---------|-----------|-------|-----|-------------|--------|----------|--------|
| 1. | करीम शी | 2700 | 1A | 07 | 1 | RRA | 2300.5 | 0.1 | 0.1 | 1.8 | 1.2 | 1.2 | 1.5 | 0.5 | 3.3 | 11.7 | 1 | शीम |
| 2. | १२९०३२ | - | 07 | 04 | 1 | PBC | 1000.7 | 0.1 | 0.1 | 2.5 | 4.2 | 4.2 | 1 | 0.3 | 1 | 10.3 | 1 | ५-७ |
| 3. | ६९२११५६ | - | At | 10 | 1 | RRC | 2340.5 | 0.2 | 0.1 | 1.2 | 1.8 | 1.8 | 1.9 | 0.4 | 1 | 11.0 | 1 | ५-७ |
| 4. | ०१२०१ | 3240 | 01 | 07 | 1 | PBC | 1500.5 | 0.1 | 0.1 | 3.0 | 3.2 | 3.2 | 1 | 0.5 | 1 | 10.8 | 1 | ५-७ |
| 5. | ३२५० | 04 | 07 | 1 | 1 | PBC | 1400.3 | 0.1 | 0.1 | 4.0 | 5.0 | 5.0 | 1 | 0.5 | 1 | 11.4 | 1 | ५-७ |
| 6. | ३२५० | 1620 | 14 | 3B | 1 | PBA | 1350.5 | 0.2 | 0.1 | 3.8 | 3.7 | 3.7 | 1 | 0.4 | 4.6 | 11.6 | 1 | ५-७ |
| 7. | ३२५० | 03 | 05 | 1 | 1 | PBC | 1150.5 | 0.1 | 0.1 | 3.7 | 4.0 | 4.0 | 1 | 0.4 | 1 | 11.3 | 1 | ५-७ |
| 8. | ३२५० | 15 | 02 | 1 | 1 | RRC | 2440.6 | 0.2 | 0.1 | 2.5 | 2.0 | 1.7 | 0.5 | 1 | 11.4 | 1 | ५-७ | |
| 9. | २७०० | 06 | 06 | 1 | 1 | RRA | 2400.7 | 0.2 | 0.1 | 2.5 | 2.3 | 2.2 | 0.5 | 5.2 | 11.9 | 1 | ५-७ | |
| 10. | ३२५० | 08 | 05 | 1 | 1 | RRC | 2300.5 | 0.1 | 0.1 | 2.2 | 3.0 | 2.2 | 0.4 | 1 | 11.6 | 1 | ५-७ | |
| 11. | करीम शी | 540 | - | - | 1688 | RRC | 2400.3 | 0.2 | 0.1 | 2.5 | 1.6 | 1.8 | 0.5 | 1 | 11.3 | 1 | ५-७ | |

NOTE: Analyzed at Chhattisgarh State Civil Supplies Corporation Ltd., H.O. Raipur laboratory as per procedure of Bureau of Indian Standard Method of analysis of food grains. No. IS-4333 (Part-1), 1957, and No. IS-4333 (Part-1) 1957 which is adopted by Govt. of India, Food Corporation of India and Govt. of Chhattisgarh.

H.O. Raipur

H.O. Raipur

Asstt. Manager

Manager Q.C.

H.O. Raipur

रत ० प्रबंधक (एस.सी.०)

CHHATTISSGARH STATE CIVIL SUPPLIES CORPORATION LIMITED

The, Hltwada Bhawan Awanti Vihar, RAIPUR

ANALYSIS RESULT

Date of Analysis: २१.०७.१५

Name of District: कोरगा / Name of Centre: किरापुर / कोरिया

| Sl. No. | Name of Millar | Qty. | God No. | Stack No. | No. of Lots | Variety | Broken Big Small | F.M. Org. long | Damaged | Discolour | Chalky | Red | Lower Grade | Detusk | Moisture | Remark |
|---------|----------------|------|---------|-----------|-------------|---------|------------------|----------------|---------|-----------|--------|-----|-------------|--------|----------|--------|
| 1. | फिराफरी | ३२५० | ०२ | ०७ | - | RRA | २५.५०.५ | ०.१०.१ | १.६ | १.२ | १.५ | ०.५ | ३.५ | ११.५ | - | शान्ति |
| 2. | बूडूडूर | २१०० | ०५ | ०१ | - | RRA | २५.००.५ | ०.१०.१ | २.० | १.५ | १.५ | ०.६ | ५.६ | ११.३ | - | -/- |
| 3. | शनीचुगा | १३२० | ०१ | ०१ | - | RRA | २५.००.८ | ०.१०.१ | २.२ | २.५ | १.६ | ०.५ | ३.५ | ११.६ | - | -/- |
| 4. | जोरी | ३२५० | १५ | ०५ | - | RRC | २५.००.६ | ०.२०.१ | १.२ | १.६ | १.५ | ०.५ | - | ११.३ | - | -/- |
| 5. | पानी | ३२५० | ०१ | ०७ | - | RRC | २५.००.५ | ०.१०.१ | १.२ | १.७ | १.६ | ०.५ | - | ११.५ | - | -/- |
| 6. | फरफरी | ३२५० | ०२ | ०५ | - | RRC | २५.००.६ | ०.२०.१ | १.५ | १.६ | १.८ | ०.५ | - | ११.६ | - | -/- |
| 7. | कोरगा | ३००० | ०१ | ०७ | - | RRC | २५.००.५ | ०.१०.१ | १.७ | २.२ | १.७ | ०.५ | - | ११.८ | - | -/- |

NOTE: Analysed at Chhattisgarh State Civil Supplies Corporation Ltd., H.O. Raipur laboratory as per procedure of Bureau of Indian Standard Method of analysis of foodgrains* I.S. 4333 (Part I), 1957, and I.S. 4333 (Part II), 1957. *This is circulated by Govt. of India, Food Corporation of India and Govt. of Chhattisgarh.

H.O. Raipur

J.T.A.

H.O. Raipur

Manager Q.C.

H.O. Raipur

सहा ० प्रबंध (अ. ० सी ०)

CHHATTISGARH STATE CIVIL SUPPLIES CORPORATION LIMITED

The, Hitwada Bhawan Awanti Vihar, RAIPUR

ANALYSIS RESULT

Date of Analysis: 15.07.14

Name of District: बिलासपुर / रायगढ़ / जायपूर

Name of Centre: 1

| Sl. No. | Name of Millar | Qty. | God No. | Stack No. | No. of Lots | Variety | Broken Big Small | F.M. Org. Inorg. | Damaged | Discolour | Chalky | Red | Lower Grade | Dehusk | Moisture | Remark |
|---------|----------------|------|---------|-----------|-------------|---------|------------------|------------------|---------|-----------|--------|-----|-------------|--------|----------|--------|
| 1. | जयराजभार | 3240 | 16 | 10 | 1 | RRC | 240 0.6 | 0.1 0.1 | 0.7 | 1.0 | 1.5 | 0.4 | 1 | 11.0 | 1 | |
| 2. | जयराजभार | 3240 | 17 | 11 | 1 | PBA | 150 0.4 | 0.1 0.1 | 3.4 | 2.5 | 1 | 0.5 | 3.5 | 10.3 | 1 | |
| 3. | जयराजभार (Dev) | 3240 | 06 | 07 | 1 | PBA | 150 0.7 | 0.2 0.1 | 3.2 | 3.5 | 1 | 0.5 | 4.6 | 10.3 | 1 | |
| 4. | जयराजभार | 3240 | 11 | 01 | 1 | RRC | 240 0.8 | 0.1 0.1 | 0.8 | 1.2 | 1.5 | 0.4 | 1 | 11.0 | 1 | |
| 5. | जयराजभार | 1100 | 02 | 02 | 1 | RRC | 240 0.4 | 0.1 0.1 | 1.0 | 0.8 | 1.2 | 0.5 | 1 | 11.8 | 1 | |
| 6. | जयराजभार | 1 | 17 | 05 | 1 | RRC | 24.2 0.4 | 0.2 0.1 | 1.5 | 1.8 | 1.6 | 0.5 | 1 | 11.6 | 1 | |
| 7. | जयराजभार | 3240 | 07 | 14 | 1 | RRC | 24.0 0.5 | 0.1 0.1 | 1.5 | 2.2 | 1.6 | 0.5 | 1 | 11.6 | 1 | |
| 8. | जयराजभार | 1 | 06 | 05 | 1 | RRC | 24.0 0.3 | 0.1 0.1 | 0.8 | 1.3 | 1.5 | 0.6 | 1 | 11.4 | 1 | |
| 9. | जयराजभार | 3240 | 13 | 06 | 1 | RRC | 24.4 0.4 | 0.1 0.1 | 1.5 | 1.6 | 1.5 | 0.4 | 1 | 11.3 | 1 | |
| 10. | जयराजभार | 3240 | 32 | 02 | 1 | RRC | 24.0 0.6 | 0.2 0.1 | 1.7 | 2.2 | 1.6 | 0.4 | 1 | 11.4 | 1 | |
| 11. | जयराजभार | 2700 | 13 | 07 | 1 | RRC | 24.0 0.5 | 0.1 0.1 | 1.0 | 0.5 | 1.4 | 0.7 | 1 | 11.4 | 1 | |
| 12. | जयराजभार | 3240 | 14 | 06 | 1 | RRC | 24.0 0.6 | 0.2 0.1 | 1.2 | 1.0 | 1.4 | 0.5 | 1 | 11.7 | 1 | |
| 13. | जयराजभार | 3240 | 53 | 06 | 1 | RRC | 24.0 0.4 | 0.2 0.1 | 2.0 | 3.0 | 1.4 | 0.7 | 1 | 11.8 | 1 | |

NOTE - Analysed at Chhattisgarh State Civil Supplies Corporation Ltd., H.O. Raipur laboratory as per procedure of Bureau of Indian Standard 'Method of analysis of foodgrains' No. IS-4333 (Part-I) 1967, and No. IS-4333 (Part-II) 1967 which is circulated by Govt. of India, Food Corporation of India and Govt. of Chhattisgarh.

H.O. Raipur

H.O. Raipur

Asst. Manager 15/7/14

Manager Q.C. H.O. Raipur

Name of District
Name of Centre

रायपुर / अजीमपुर / जरापुर

ANALYSIS RESULT

Date of issue

07.07.14

सहाय-प्रबंधक (अधीनस्थ)

CHHATTISGARH STATE CIVIL SUPPLIES CORPORATION LIMITED
The, Himwade Bhawan Awaru Vihar, RAIPUR

| Sl. No. | Name of Millar | Qty. | Spec. No. | Sack No. | No. of Lots | Variety | Broken Big. Small | F.W. Org. Inorg. | Damaged | Discolors | Chalky | Red | Lower Grade | Dust | Moisture | Remarks |
|---------|----------------|------|-----------|----------|-------------|---------|-------------------|------------------|---------|-----------|--------|-----|-------------|------|----------|---------|
| 1. | CCPC 112345 | 3240 | 52 | 01 | - | PBC | 1400.6 | 0.1 | 0.1 | 3.0 | 2.5 | 5.2 | 0.7 | - | 11.2 | - |
| 2. | बोहारखिना 1 | - | 05 | 05 | - | RRC | 2400.6 | 0.1 | 0.1 | 1.7 | 0.8 | 1.5 | 0.4 | - | 11.5 | - |
| 3. | बोहारखिना 1 | - | 16 | 02 | - | RRC | 2400.3 | 0.1 | 0.1 | 1.5 | 1.2 | 1.4 | 0.3 | - | 11.4 | - |
| 4. | कुलुवरी | 3240 | 05 | 02 | - | RRC | 2400.4 | 0.1 | 0.1 | 0.8 | 0.6 | 1.0 | 0.5 | - | 11.0 | - |
| 5. | बगीचा | 1777 | 04 | 01 | - | RRC | 2400.4 | 0.1 | 0.1 | 0.5 | 1.0 | 1.2 | 0.7 | - | 11.2 | - |
| 6. | बोहारखिना 1 | - | 06 | 12 | - | RRC | 2400.2 | 0.2 | 0.1 | 1.5 | 1.4 | 1.6 | 0.4 | - | 11.0 | - |
| 7. | बोहारखिना 1 | 2700 | 03 | 10 | - | RRA | 2400.07 | 0.1 | 0.1 | 2.7 | 2.0 | 1.6 | 0.4 | - | 11.9 | - |
| 8. | बोहारखिना 1 | 3240 | 02 | 05 | - | RRA | 2400.4 | 0.2 | 0.1 | 2.2 | 1.0 | 2.2 | 0.4 | - | 11.7 | - |
| 9. | बोहारखिना 1 | 3240 | 07 | 04 | - | RRA | 2400.4 | 0.2 | 0.1 | 2.7 | 2.4 | 1.6 | 0.7 | - | 11.8 | - |
| 10. | बोहारखिना 1 | 3240 | 50 | 02 | - | RRA | 2400.6 | 0.4 | 0.1 | 2.5 | 1.5 | 1.5 | 0.4 | - | 11.7 | - |
| 11. | बोहारखिना 1 | 3240 | 02 | 09 | - | RRA | 2400.3 | 0.1 | 0.1 | 2.5 | 1.0 | 1.5 | 0.7 | - | 11.8 | - |

[Signature]

[Signature]

[Signature]

CHHATTISGARH STATE CIVIL SUPPLIES CORPORATION LIMITED

CHHATTISGARH STATE CIVIL SUPPLIES CORPORATION LIMITED
The, Hiltwada Bhawan Awanti Vihar, RAIPUR

कच्चाई / डीपी / गिराई / किराई / किराई / किराई / किराई

30.08.14

| Sl. No. | Name of Mill | Qty. | Grain No. | Stack No. | No. of Lots | Weight | Broken Big | Broken Small | F.M. Org | Inorg | Damaged | Discolour. | Chaffy | Red | Lower Grade | Densuk | Moisture | Remark |
|---------|--------------|------|-----------|-----------|-------------|--------------|------------|--------------|----------|-------|---------|------------|--------|------|-------------|--------|----------|--------|
| 1 | दवाइ | 3200 | 15 | 03 | 1 | RRC 24.3 0.5 | 0.1 | 0.1 | 1.7 | 2.5 | 1.6 | 0.7 | 1 | 11.3 | 1 | 31.03 | | |
| 2 | मुनी | 3210 | 02 | 08 | 1 | RRC 24.4 0.4 | 0.1 | 0.1 | 1.0 | 0.8 | 1.5 | 0.7 | 1 | 11.7 | 1 | | | |
| 3 | अवई | 3200 | 01 | 04 | 1 | RRR 24.5 0.3 | 0.1 | 0.1 | 2.0 | 1.5 | 1.6 | 0.5 | 3.5 | 11.5 | 1 | | | |
| 4 | दवाइ | 2145 | 08 | 04 | 1 | RRC 24.0 0.3 | 0.2 | 0.1 | 1.5 | 1.7 | 1.8 | 0.4 | 1 | 11.7 | 1 | | | |
| 6 | एरअजवा | 1080 | 05 | 05 | 1 | PBC 13.0 0.8 | 0.2 | 0.1 | 4.0 | 2.5 | 1 | 0.3 | 1 | 11.3 | 1 | | | |
| 6 | पेअजवा | 3240 | 01 | 03 | 1 | RRC 23.0 0.8 | 0.1 | 0.1 | 1.0 | 0.8 | 1.4 | 0.4 | 1 | 11.0 | 1 | | | |
| 7 | अवई | 2700 | 15 | 04 | 1 | RRR 23.8 0.4 | 0.1 | 0.1 | 0.4 | 0.8 | 1.4 | 0.2 | 3.3 | 10.3 | 1 | | | |
| 8 | बोवई | 1620 | 14 | 06 | 1 | RRR 24.5 0.4 | 0.1 | 0.1 | 1.4 | 1.7 | 1.8 | 0.5 | 4.2 | 11.0 | 1 | | | |
| 9 | बोवई | 3240 | 05 | 11 | 1 | RRR 24.0 0.8 | 0.1 | 0.1 | 2.0 | 1.7 | 1.7 | 0.4 | 3.0 | 11.3 | 1 | | | |
| 10 | अवई | 3240 | 02 | 07 | 1 | RRC 24.0 0.6 | 0.1 | 0.1 | 1.8 | 1.9 | 1.6 | 0.5 | 1 | 11.7 | 1 | | | |
| 11 | अवई | 1320 | 01 | 01 | 1 | RRR 24.4 0.4 | 0.1 | 0.1 | 1.7 | 2.2 | 1.5 | 0.4 | 3.4 | 11.6 | 1 | | | |
| 12 | कोरवा | 3000 | 05 | 03 | 1 | RRC 24.4 0.3 | 0.1 | 0.1 | 0.8 | 1.7 | 1.2 | 0.6 | 1 | 11.6 | 1 | | | |
| 13 | अवई | 3240 | 10 | 04 | 1 | RRC 24.0 0.8 | 0.2 | 0.1 | 1.2 | 1.0 | 1.6 | 0.5 | 1 | 11.7 | 1 | | | |

[Signature]

[Signature]

[Signature]

Manager G.C.
40 Bazar

D-280
2

राष्ट्रिय ग्राम सेवा (रा.ग.सेवा)

1

CHHATTISGARH STATE CIVIL SUPPLIES CORPORATION LIMITED
The, Hitwada Bhawan Awanti Vihar, RAIPUR

जोशीर / रसायन

ANALYSIS RESULT

Date of Analysis 01.07.14

| Sl. No. | Name of Millar | Qty. | Gcc No. | Stack No. | No. of Lots | Variety | Broken Big Small | F.M. Org. Inorg. | Damaged | Discolour | Chalky | Red | Lower Grade | Detuck | Moisture | Remark |
|---------|----------------|------|---------|-----------|-------------|---------|------------------|------------------|---------|-----------|--------|-----|-------------|--------|----------|---------|
| 14 | पेन्सिल | 3240 | 32 | 01 | - | RRA | 240 0.7 | 0.1 0.1 | 1.3 | 2.4 | 1.6 | 0.5 | 3.4 | 11.8 | - | सामान्य |
| 15 | लैक | 3000 | 01 | 03 | - | RRC | 244 0.3 | 0.2 0.1 | 1.5 | 1.4 | 1.4 | 0.5 | - | 11.8 | - | - |
| 16 | ब्रोकल | 3240 | 19 | 02 | - | RRC | 244 0.4 | 0.2 0.1 | 0.8 | 1.2 | 1.4 | 0.5 | - | 11.3 | - | - |
| 17 | ग्रेड | 3240 | 15 | 08 | - | RRC | 22.8 0.7 | 0.1 0.1 | 0.5 | 0.8 | 1.4 | 0.7 | - | 11.9 | - | - |
| 18 | नीला | 3240 | 04 | 06 | - | RRC | 24.0 0.4 | 0.1 0.1 | 0.8 | 0.7 | 1.4 | 0.5 | - | 11.8 | - | - |
| 19 | सोदा | 3240 | 22 | 08 | - | RRC | 24.5 0.3 | 0.2 0.1 | 1.4 | 1.8 | 1.6 | 0.4 | - | 11.7 | - | - |
| 20 | चाय | 3240 | 32 | 04 | - | RRC | 24.0 0.4 | 0.2 0.1 | 0.8 | 0.7 | 1.4 | 0.5 | - | 11.8 | - | - |
| 21 | कैरली | 1080 | 04 | 04 | - | RRC | 24.5 0.4 | 0.2 0.1 | 2.0 | 2.4 | 1.2 | 0.7 | - | 11.7 | - | - |

NOTE: Analytical Laboratory has been established at Raipur under the supervision of the Director, Civil Supplies Corporation, Raipur. The results of the analysis are subject to the approval of the Director, Civil Supplies Corporation, Raipur.

Signature of Analyst

Signature of Manager

Signature of Manager

Manager C.C.
H.O. Raipur